

**AD 2. AERODROMES**

**TVSB AD 2.1 AERODROME LOCATION INDICATOR AND NAME**

**TVSB – BEQUIA IS./J.F. Mitchell (ST. VINCENT AND THE GRENADINES)**

**TVSB AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA**

1	ARP coordinates and site at AD	Lat : 125913N* Long : 0611552W Site :
2	Direction and distance from (city)	2 miles S W from Port Elizabeth
3	Elevation/Reference temperature	4.4m(15ft) / 32 <sup>0</sup> C
4	MAG/VAR/Annual change	14 <sup>0</sup> W (2000)
5	AD Administration, address, telephone, telefax, telex, AFS	Permanent Secretary Ministry of Communications and Works Government of St. Vincent and The Grenadines Kingstown St. Vincent and The Grenadines, W.I. Tel : (784) 458 4011 Fax : (784) 458 4786 Telex: 7531/7484 FOREIGN AFS: TVSVYDYX
6	Types of traffic permitted (IFR/VFR)	VFR
7	Remarks	NIL

**TVSB AD 2.3 OPERATIONAL HOURS**

1	AD Administration	1200 – 2000 – Mon - Fri
2	Customs and Immigration	1000 – SS Other times 24 HR PPR
3	Health and Sanitation	NIL
4	AIS Briefing Office	NIL
5	ATS Reporting Office (ARO)	1000 - SS
6	MET Briefing Office	1000 - SS
7	ATS	1000 - SS
8	Fuelling	NIL
9	Handling	1000 - SS
10	Security	1000 - SS
11	De-icing	NIL
12	Remarks	NIL

**TVSB AD 2.4 HANDLING SERVICES AND FACILITIES**

1	Cargo-handling facilities	NIL
2	Fuel/Oil types	NIL
3	Fuelling facilities/capacity	NIL
4	De-icing	NIL
5	Hangar Space for visiting aircraft	NIL
6	Repair facilities for visiting aircraft	By arrangement with private operators
7	Remarks	NIL

**TVSB AD 2.5 PASSENGER FACILITIES**

1	Hotels	Available within 4km
2	Restaurants	Restaurant at AD
3	Transportation	Taxis and rentals on request
4	Medical facilities	First Aid within 2km AD
5	Bank and Post Office	In City
6	Tourist Office	In City
7	Remarks	NIL

**TVSB AD 2.6 RESCUE AND FIRE FIGHTING SERVICES**

1	AD category for fire fighting	Category 3
2	Rescue equipment	-
3	Capability for removal of disabled aircraft	-
4	Remarks	NIL

**TVSB AD 2.7 SEASONAL AVAILABILITY – CLEARING**

1	Types of clearing equipment	NIL
2	Clearance priorities	NIL
3	Remarks	AD available al Seasons

**TVSB AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATION DATA**

1	Apron surface and strength	Surface : Asphalt Strength : -
2	Taxiway width, surface and strength	Width : 15m Surface : Asphalt Strength : -
3	ACL location and elevation	Location : RWY Centreline Elevation : 4.4m
4	VOR/INS checkpoints	VOR : NIL INS : NIL
5	Remarks	-

**TVSB AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS**

1	Use of aircraft stand ID signs, TWY guide lines and visual docking/parking guidance system of aircraft stands	Guidelines at Apron
2	Markings :  Lights (LGT)	RWY : Designation, THR, Centreline TWY : Holding Positions at TWY/RWY Intersection Centreline RWY : THR, Edge, End TWY : Edge
3	Stop bars	NIL
4	Remarks	NIL

**TVSB AD 2.10 AERODROME OBSTACLES**

In approach/TKOF areas			In circling area and at AD		Remarks
1			2		3
RWY/Area affected	Obstacle type Elevation Marking/LGT	Coordinates	Obstacle type Elevation Marking/LGT	coordinates	
a	b	C	a	b	
12/APCH	Hills	-	High Ground And Mast LGT-Red	-	

**TVSB AD 2.11 METEOROLOGICAL INFORMATION PROVIDED**

1	Associated MET Office	E.T. Joshua MET Office
2	Hours of service Met Office outside hours	1000 - 0100
3	Office responsible for TAF preparation Periods of validity	NIL
4	Type of landing forecast Interval of issuance	NIL
5	Briefing/consultation provided	NIL
6	Flight documentation Language(s) used	English
7	Charts and other information available for briefing or consultation	NIL
8	Supplementary equipment available for providing information	NIL
9	ATS units provided with information	J.F. Mitchell Tower
10	Additional information (limitation of service, etc.)	NIL

**TVSB AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS**

Designator RWY NR	TRUE & MAG BRG	Dimensions of RWY (M)	Strength (PCN) and surface of RWY and SWY	THR coordinates	THR elevation and highest elevation of TDZ of precision APP RWY
1	2	3	4	5	6
12	106 <sup>0</sup> GEO (Approx) 120 <sup>0</sup> MAG (Approx)	1100 X 30	-	-	4.4m/15ft
30	288 <sup>0</sup> GEO (Approx) 302 <sup>0</sup> MAG (Approx)	1100 X 30	-	-	4.4m/15ft
Slope of RWY-SWY	SWY dimensions (M)	CWY dimensions (M)	Strips dimension (M)	OFZ	Remarks
7	8	9	10	11	12
0%	60M	NIL	NIL	NIL	True + Mag Bearing approximate to ± 5 <sup>0</sup> For RWY 12/30
0%	NIL	NIL	NIL	NIL	

**TVSB AD 2.13 DECLARED DISTANCES**

RWY designator	TORA (M)	TODA (M)	ASDA (M)	LDA (M)	Remarks
1	2	3	4	5	6
12	1100	1100	1160	1100	-
30	1100	1100	1160	1100	-

**TVSB AD 2.14 APPROACH AND RUNWAY LIGHTING**

RWY designator	APCH LGT Type LEN INTST	THR LGT Colour WBAR	VASIS (MEHT) PAPI	TDZ, LGT LEN	RWY Centreline LGT, Length, spacing, colour, INTST	RWY edge LGT LEN, spacing colour INTST	RWY End LGT colour WBAR	SWY LGT LEN (M) colour	Remarks
1	2	3	4	5	6	7	8	9	10
12	Simple White	Green	APAPI Left	NIL	NIL	1100m White Yellow	Red	NIL	NIL
30	NIL	Green	NIL	NIL	NIL	1100m White	Red	NIL	NIL

**TVSB AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY**

1	ABN/IBN location, characteristics and hours of operation	ABN: Tower – Green and White SS to AD closure
2	LDI location and LGT Anemometer location and LGT	LDI : NIL ANEMOMETER: Opposite APAPI RWY 12 Southside LGT Red
3	TWY edge and centreline lighting	EDGE: Blue CENTRELINE: NIL
4	Secondary power supply/switch-over time	Available
5	Remarks	NIL

**TVSB AD 2.16 HELICOPTER LANDING AREA**

1	Coordinates TLOF or THR of FATO	NIL
2	TLOF and/or FATO elevation M/FT	NIL
3	TLOF and FATO area dimensions, surface, strength, marking	NIL
4	True and MAG BRG of FATO	NIL
5	Declared distances available	NIL
6	APP and FATO lighting	
7	Remarks	AD Apron used for Helicopter touchdown

**TVSB AD 2.17 ATS AIRSPACE**

1	Designator and lateral limits	J.F. Mitchell Aerodrome Traffic Zone (ATZ) A Circle of radius 2nm centred at 125913N0611550W*
2	Vertical limits	SFC/2000ft AAL
3	Airspace classification	G
4	ATS unit call sign Language(s)	J.F. Mitchell Tower English
5	Transition altitude	N/A
6	Remarks	Tower Tel: (784) 458 3140

**TVSB AD 2.18 ATS COMMUNICATION FACILITIES**

Service designation	Call sign	Frequency	Hours of Operation	Remarks
1	2	3	4	5
TWR	J.F. Mitchell Tower	118.45MHz	1000 – SS	Flights arriving or departing contact E.T. Joshua Approach
GND	J.F. Mitchell Ground	121.9MHz	1000 - SS	

**TVSB AD 2.19 RADIO NAVIGATION AND LANDING AIDS**

Type of aid, CAT of ILS/MLS	ID	Frequency	Hours of operation	Site of transmitting antenna coordinates	Elevation of DME transmitting antenna	Remarks
1	2	3	4	5	6	7
NIL	NIL	NIL	NIL	NIL	NIL	NIL
-	-	-	-	-	-	-

## **TVSB AD 2.20 LOCAL TRAFFIC REGULATIONS**

### **1. Airport Regulations**

#### **1.1 *Airport Regulations/Restrictions***

1. Beyond Hours of operations, 24 hours prior permission required.
2. Flight ARR or DEP to contact E.T. Joshua Approach.
3. For arriving aircraft : All engines must be shut down prior to the deplaning of any passenger.
4. For departing aircraft : No engine shall be started until all passengers have boarded the aircraft.

## **TVSB AD 2.21 NOISE ABATEMENT PROCEDURES**

NIL

## **TVSB AD 2.22 FLIGHT PROCEDURES**

NIL

## **TVSB AD 2.23 ADDITIONAL INFORMATION**

NIL



---

**TVSB AD 2.24 CHARTS RELATED TO AERODROME**

Aerodrome Chart ..... AD2.9-1-11

INTENTIONALLY LEFT BLANK

**TVSB AERODROME CHART**  
**TO BE DEVELOPED**

INTENTIONALLY LEFT BLANK